

AD-A087 570

COAST GUARD WASHINGTON DC
U.S. COAST GUARD CUTTER KAW - WYT-61 OUTBOARD PROFILE.(U)
OCT 77

F/6 13/10

UNCLASSIFIED

NL

1 OF 1

25-3570

END
DATE
FILMED
9-80
DTIC

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD-A087570	
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
U.S. COAST GUARD LUTTER KAU - WBT-61 OUTBOARD Profile		
6. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
U.S. COAST GUARD		12151
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
U.S. COAST GUARD		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
COMMANDANT (G ENE-SF/63) U.S. COAST GUARD 2100 SECOND ST. S.W. WASHINGTON, D.C. 20543		
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES
COMMANDANT (G ENE-SF/63) U.S. COAST GUARD 2100 SECOND ST. S.W. WASHINGTON, D.C. 20543		11 Oct 71
		15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for Public Release, distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
N/A		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		

ICE BREAKING
BOW LIGHT

DDC FILE COPY

ADA 087570

LEVEL

(1)

LENGTH OVERALL 110'-0"
LENGTH ON WL. 106'-0"
BEAM MOULDED 26'-5"
DEPTH 14'-11"
DRAFT 10'-6"

10'-6" W.L.

C	10/77	70	REVISED ACCORDING TO EXISTING ARRGT	2
B	7/22/70		IN BOW OF VESSEL ADDED ICE BREAKING LIGHT AND IDENTIFICATION ON SHIPS SIDE. DELETED COMPANIONWAY IN FRONT OF DECKHOUSE. ON PILOT HOUSE TOP DELETED CENTER BOW TOWING LIGHT AND WHIP ANTENNA. ADDED ANCHOR LIGHT. ON MAIN MAST DELETED RANGE LIGHT AND RELOCATED WHISTLE LIGHT. ADDED ANEMOMETER, F.M. ANTENNA AND DELETED STACK VENTILATOR. ON BRIDGE DECK ADDED ANTENNA COUPLER. ADDED C.G. EMBLEM ON STACK. CHANGED 20' DINGHY TO 16' OUTBOARD. ON MIZZENMAST ADDED STRETCHER AND FLOORLS. ON BOAT DECK AFT CHANGED 24" SEARCHLIGHT TO 12" SIGNAL LIGHT. ON DECKHOUSE SIDE DELETED VENT LOUVER FR. 38 AND ADDED LOUVER FR. 37 ADDED HOSE REEL FR. 37-38. CHANGED W.T. DOORS TO WEA. TIGHT.	K.F.W.

~~REVISION~~ ~~DATE~~ ~~APPRO.~~ ~~CORRECTED TO SHOWN FIRST APPROVAL~~

REVISION DATE APPRO. BY

U.S. NAVY ENGINEERING

NAVY DISTRICT

NAVAL ENGINEERING


C.G.C. KAW-WYT-61
OUTBOARD PROFILE

DTIC
ELECTE
JUL 30 1980

S D

U.S.C.G.


11-21-80-5





Accession For	
NTIS GPM&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By <u>Per: J.E. Shefer</u>	
Distribution <u>DDC/DA-A</u>	
Availability Codes	
Dist.	Avail and/or special
A	

DISTRIBUTION STATEMENT A
 Approved for public release;
 Distribution Unlimited

2







AD
5

KAW

10'-6" W.L.

50° 11' ABOVE

32° 12' ABOVE W.L.


RANGE L

BREAKDOWN LTS

27' 7 1/2"

27° 10 1/2'

STERN LT




ONE 221


AIRCRAFT
WARNING
LT


ANCHOR
LT

RUNNING
LT 93

TOWING
LT








1

LENGTH OVERALL
 LENGTH ON W. L.
 BEAM MOULDED
 DEPTH
 DRAFT

110'-0"
 105'-0"
 28'-0"
 14'-0"
 10'-0"





C	10/77	REVISED ACCORDING TO EXISTING ARRST.	2-4
B	7-15 '75	7-A3-76 7-4	P.G.

U.S. COAST GUARD		NAVY DEPARTMENT	
C.G.C.-KAW-WYT-61			
ARRANGEMENT OF BERTH & HOLD			
DATE		BY	

U.S.C.G.


110(0) 0103-5




HOLD

2


U.S.C.



SECOND DECK



5



[illegible]

PARTS BOX
- M.E. SHELF

SPARE PARTS SHELVES

OIL SEPARATOR
SLUDGE TANK

PROGRAMME TONE

USE ON CLOTHES

G OIL WATER

& GREASE

1. 024 0000

2-DEUTWA

3-10-77

3 000000

TABLE

675-0
PAGE 1.

014
70729

50 30000

CE 2000

FILE CRIMINAL
EMERGENCY
AIR-TEL 5-0

ST.

50499

CO₂

099
L-10000

100

LAGOS

HATCH

CLIMATE

64-07-2

~~_____~~

•

1

4

2

11

